This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



THE UNIVERD STAYLES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

DEPTHS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE. OR USING IT IN ICING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY CTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 221 ET SEQ.)

CORN, FIELD

'PH2N0'

In Testimonn Mixerest, I have hereunto set my hand and caused the seal of the Plant Pariety Protection Viffice to be affixed at the City of Washington, D.C. this sixth day of November, in the year two thousand one.

Allost:

Parl M. Jankoul

Commissioner Plant Variety Protection Office Agricultural Warboting Service

ないのもことをとめる とると 日本では 日本の

Robert Lee Segebart App. No. 10/768,338

REF A9

SHOULD WERE SENTENCED TO THE PROPERTY OF THE P

REPRODUCE LOCALLY. Include form number			APPROVED - OMB NO. 0581-0055	
U.S. DEPARTMENT OF AGRICULTI AGRICULTURAL MARKETING SER SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIE	/ICÉ	The following statements are made 1974 (5 U.S.C. 552a) and the Paperwork Re	in accordance with the Privacy Act of	
APPLICATION FOR PLANT VARIETY PROT (Instructions and information collection burde	ECTION CERTIFICATE n statement on reverse)	Application is required in order to	determine if a plant variety protection 2421). Information is held confidential	
1. NAME OF OWNER		2. TEMPORARY DESIGNATION OR	3. VARIETY NAME	
Pioneer Hi-Bred Internation		EXPERIMENTAL NUMBER	PH2N0	
ADDRESS (Street and No. or RFD No., City, State and Zip Code,	and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY	
7301 NW 62 nd Avenue			PVPO NUMBER	
a P.O. Box 85		515/270-4051		
Johnston, IA 50131-0085			9900379	
)		6. FAX (Include area code)		
· •		515/253-2125	FILING DATE	
IF THE OWNERNAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership,	8. IF INCORPORATED, GIVE	9. DATE OF INCORPORATON		
. association, etc.)	STATE OF INCORPORATION)	May 6, 1926	I dli-lac	
Corporation	IOWA	1147 0, 1520	1 814149	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SE	RVE IN THIS APPLICATION (FIRST PER	SON LISTED WILL RECEIVE ALL PAPERS)		
			F FILING & EXAMINATION	
Steven R. Anderson			5 , 7450	
Research and Product Dev	relopment		1 20 / /2 /2	
P.O. Box 85			E 3-16,-7/	
Johnston, IA 50131-0085			C CERTIFICATION FEE:	
			11:320.00	
		·	D DATE 9/28/01	
11. TELEPHONE (Include area code) 12. FAX (Include area	ode) 13. E_MAIL		14. CROP KIND NAME (Common name)	
515/270-4051 515/253-	2125 ANDER	SONS@PHIBRED.COM	Corn	
15 GENUS AND SPECIES NAME OF CROP	16. FAMILY NAME	(Botanical)	17. IS THE VARIETY A FIRST GENERATION	
Zea Mays		JEW	HYBRID?	
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITT	ED/fallow (astronomical astronomical astrono	12CE 3A/CI	☐ Yes ⊠ No	
4. Exhibit A. Origin and Breeding History of the Variety	CO (1 CHOW HARDEDON'S COTTON SET	19. ODES THE OWNER SPECIFY THAT SI CERTIFIED SEED? See Section 83(a)	EED OF THIS VARIETY BE SOLD AS A CLASS OF	
b. 🔯 Exhibit 6. Statement of Distinctness		YES (If "yes", answer items 20	_	
c. Exhibit C. Objective Description of the Variety		and 21 below)	☑ NO (if "no", go to item 22)	
d. Exhibit O. Additional Description of the Variety (Option	•	20. DOES THE OWNER SPECIFY THAT S	EED OF THIS VARIETY BE LIMITED AS TO	
Exhibit E. Statement of the Basis of the Owner's Own		NUMBER OF GENERATIONS?		
 Voucher Sample (2500 viable untreated seeds or, for trends verification that tissue culture will be deposited and in repository) 	uber propagated varieties naintained in an approved public	☐ YES ☐ NO		
	"Transcurer of the United States" (Mail t	21. IF "YES" TO ITEM 20, WHICH CLASSE	S OF PRODUCTION BEYOND BREEDER SEED?	
Plant Variety Protection Office))		FOUNDATION REGISTERE	CERTIFIED	
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) O VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USE	OR A HYBRID PRODUCED FROM THIS D IN THE U.S. OR OTHER COUNTRIES:	23. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY		
☑ YES ☐ NO		INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?		
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOS	ITION, TRANSFER, OR USE FOR	☐ YES ☑ NO		
EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space	Indicated on reverse)	IF YES, PLEASE GIVE COUNTRY, DATE REFERENCE NUMBER. (Please use sp	OF FILING OR ISSUANCE AND ASSIGNED ace indicated on reverse.)	
United States Nov. 1, 1998 24. The owner(s) declare that a viable sample of basic seed of the various and the control of the sample of the sa	tety will be furnished with application	and will be replectabled upon request to accordance		
for a tuber propagated variety a dissue culture will be deposited in a pu	blic repository and maintained for the	turation of the certificate.	with such regulations as may be applicable. or	
The undersigned owner(s) (stare) the owner of this sexually repro Section 42, and is entitled to protection under the provisions of S	duced or tuber propagated plant variet	y, and believe(s) that the variety is new, distinct, un	form, and stable as required in	
Owner(s) Is(are) informed that false representation herein can jeo				
SIGNATURE OF OWNER	and residues in benefit	SIGNATURE OF OWNER		
		Steven & Ander	200 -	
NAME (Please print or type)		NAME (Please print or type)		
:		Steven R. Anderson		
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE		
	orti E	· · · · ·	DATE	
		Senior Research	July 29, 1999	
 -		Associate	July 23, 1333	

, **,**

INSTRUCTIONS

INSTRUCTIONS

GENERAL. To be effectively filed with the Plant Variety protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed Exhibits A,B,C,E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety sylrisdy 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense (5300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Ballimore Avenue, Beltsville, MD 20705-2251. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301)504-5518 FAX: (301)504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;

the details of subsequent stages of selection and multiplication;

evidence of uniformity and stability; and

the type and frequency of variants during reproduction and multiplication and state how these variants may be identified.

Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other 18b. varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:

(1) identify these varieties and state all differences objectively;

(2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and

submit, if helpful, seed and plant specimens of photographs (prints) of seed and plant companions which clearly indicate distinctness.

- 18c. Exhibit C forms are available from the PVPO for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant disease
- 18e. Section 52(5) of the Act required applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant may NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, applicant may change the choice. (See Regulations and Rules of Practice, Section 7.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for fining a change of address. The fee for filing a change of watership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131. 97.175(h) of Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant should check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes cer response, including the time for reviewing instruction, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate of any other aspect of this collection of information, including suggestions for reducing this burden, to Ceparament of Agriculture, Clearance Officer, CIPM, AG Sox 7530, Jame L. Whitten Building, Washington, D.C. 20250. When replying, refer to CMB No. 0581-0035 and form number in your letter. Under the PRA of 1995, no persons are required to reasonable to a collection of information unless at displays a vasid CMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of rice, color, national origin, sex, religion, age, disability, positical beliefs, and marrial or familial status. (Not all prohibitors to as programs). Persons with oxidabilities were require atternative means for communication of program information (tradie, large print, audicitate, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Ceparament of Agriculture. Washington, D.C. 20230, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment caportment employer.

\$87-470 (08-98DESIGNED BY THE Point Vaniew Protection Office with WordPerfect 8.0a. Replaces STD-470 (03-96) which is obsolete. (See receive for instructions and information collection number state

Exhibit A. Origin and Breeding History

Pedigree: PHGG6/PHBE2)X64141X

į

Pioneer Line PH2N0, Zea mays L., a dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PHGG6 X PHBE2 (PVP Certificate No. 9500200) using the pedigree method of plant breeding. Varieties PHGG6 and PHBE2 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the segregating population from the above hybrid for 7 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Princeton, Illinois as well as other United States Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHGG6 was derived by pedigree selection from a single cross hybrid PHPO2 (PVP Certificate No. 8800212) X PHR03 (PVP Certificate No. 9100097).

Variety PH2N0 has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 5 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability for a minimum of 3 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and electrophoretically using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PH2NO.

The criteria used in the selection of PH2N0 were yield, both per se and in hybrid combinations; late season plant health, seedling vigor, grain quality, stalk lodging resistance, and kernel size, especially important in production. Other selection criteria include: ability to germinate in adverse conditions; number of tillers, especially important in production because having numerous tillers increases hybrid production costs spent on detasseling; disease and insect resistance; pollen yield and tassel size.

Exhibit A: Developmental history for PH2N0

Season/Year Pedigree Grown	Inbreeding Level of Pedigree Grown
1/92	
PHGG6, PHBE2	F0
2/92	
PHGG6/PHBE2	Fl
1/93	
PHGG6/PHBE2)X	F2
1/94	
PHGG6/PHBE2)X6	F3
2/94	
PHGG6/PHBE2)X64	F4
1/95	
PHGG6/PHBE2)X641	F5
2/95	
PHGG6/PHBE2)X6414	F6
1/96	
PHGG6/PHBE2)X64141	F7
2/96	
PHGG6/PHBE2)X64141X	F8
	Bulk increase

^{*}PH2N0 was selfed and ear-rowed from F3 through F7 generation.
#Uniformity and stability were established from F6 through F8 generation and beyond when seed supplies were increased.

Exhibit B. Novelty Statement

Variety PH2N0 mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PHR03 (PVP Certificate No. 9100097). The data in Tables 1A and 1B are from paired comparisons collected primarily in Johnston and Ankeny, IA. The traits collectively show measurable differences between the two varieties.

Variety PH2N0 has less leaves per plant (17.0 vs 19.7) than PHR03 (Table 1A, 1B).

Variety PH2N0 has a lower tassel floret density per 4 cm (11.8 pairs per 4 cm vs 17.3 pairs per 4 cm) than PHR03 (Table 1A, 1B).

Variety PH2N0 has longer tassel length (64.9 cm vs 55.2 cm) than PHR03 (Table 1A, 1B).

A t-test was used to compare differences between means and the appropriate parameters have been included.

Exhibit B Novelty Statement Tables

Table 1A. These data indicate differences between varieties PH2N0 and PHR03. Data are from Johnston and Ankeny, lowa at 2 different locations in 1997 and 3 locations in 1998. A t-test was used to compare differences between means. Five plants were measured at each location.

0.245 -2.0 8 -6.40 0.245 -3.0 8 -6.40 0.245 -4.0 8 -11.55 0.245 -1.4 8 -4.43 0.583 -2.4 8 -2.72 1.356 -4.8 8 -3.45 0.663 -2.4 8 -3.45 0.663 -5.2 8 -2.23 1.140 9.4 8 -2.23 1.158 15.0 8 11.24 1.158 7.6 8 2.91 1.030 5.4 8 3.04 0.837 11.0 8 4.49	station	8	X X			variety	Karlery.			Mean-III	Mean 12	StdDa	Stdpa Stdpay listd yiation iation 2 Error		Std	Mean	Mean DF	DF. I-Value Prob	Prob
1997 seaves/plant 200 1998 seaf number (# of foreists/cm) PHZNO PHRO3 5 1774 20.4 0.894 0.548 0.400 0.245 -3.0 8 -4.45 0.401 0.445 0.	Ψ	20N	1997	leaf number (j 0#	PH2NO						11.1			121		1000		Pooled
20N 1999 lear number (# of leaves/plant) NF 1999 lear number (# of leaves/plant) 20N 1997 leaves/plant) NF 1999 lear number (# of leaves/plant) 20N 1997 leaves/plant) 20N 1999 lear number (# of leaves/plant) 20N 1999 leasel axis floret density PHZNO PHR03				leaves/plant)				0	<u></u>	9.7	19.6	0.894	0.548	0.400	0.245	-2.0	8		0.003
Solid Soli	ᆨ	7	1997	leaf number (# of	PH2N0		ď	Ľ	17.4								-	
1998 leaf number (# of PHZNO PHRO3 5 16.6 20.6 0.548 0.545 0.245 0.245 4.0 8 11.55 1998 leaf number (# of PHZNO PHRO3 5 17.2 18.6 0.447 0.548 0.245 0.245 1.4 8 4.43 1998 leaf number (# of PHZNO PHRO3 5 18.2 19.2 0.837 1.304 0.374 0.583 3.0 8 4.33 20N 1997 lassel axis floret density PHZNO PHRO3 5 12.0 18.8 0.707 3.033 0.316 1.356 4.8 8 3.45 1998 lassel axis floret density PHZNO PHRO3 5 13.0 17.6 1.000 4.506 0.447 0.510 0.860 1.0 8 4.0 1998 lassel axis floret density PHZNO PHRO3 5 13.0 17.6 1.000 4.506 0.447 2.015 4.8 8 4.56 0.8 1998 lassel axis floret density PHZNO PHRO3 5 13.0 17.6 1.000 4.506 0.447 2.015 4.8 8 4.06 0.8 1998 lassel axis floret density PHZNO PHRO3 5 13.0 17.6 1.000 4.506 0.447 2.015 4.8 8 4.06 0.8 1998 lassel axis floret density PHZNO PHRO3 5 6.3.4 6.3.8 4.8 1.483 0.851 1.9 0.8 1.0 0.8 1997 lassel axis floret density PHZNO PHRO3 5 6.3.4 6.3.8 4.8 1.483 2.568 0.8 1.140 0.8 1.2 0.8 0.8 1997 lassel length (cm) PHZNO PHRO3 5 6.3.8 68.0 62.6 3.261 0.8 1.9 0.8 0	:			leaves/plant)				•	-	!		98.0		0.400	0.245	-3.0	œ	-6.40	0.00
Handle H	Q A	20N	1998	leaf number (:	PH2N0	PHR03	Ľ	ч	0 0 0					:	:		•	
N 1998 leaf number (# of leases/plant)				leaves/plant)	_		}	ō)	0.0		5 8 8		0.245	0.245	4	80	-11.55	0.000
1997 Leaves/plant 1998 Leaves/plant	= _		1998	leaf number (PH2N0	PHRO3	Ľ	ч	1				:					
95 1998 leaf number (# of forets/4cm) 20N 1997 lassel axis floret density PHZNO PHR03 5 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0			:	leaves/plant)	•		3	5	3	<u>, i</u>		0.44/	0.548	0.200	0.245	4.	80	4.43	0.005
Seed a sea sea sea sea sea sea sea sea sea s	5	92	1998	leaf number (:— : :		PHR03	<u>ر</u>	ď	16.2									
1997 tassel axis flored density PHZNO PHR03 5 12.0 18.8 16.2 1.304 1.483 0.583 0.663 -2.4 8 -2.72 1997 tassel axis flored density PHZNO PHR03 5 12.0 18.8 0.707 3.033 0.316 1.356 4.8 8 -3.45 1998 tassel axis flored density PHZNO PHR03 5 10.6 15.8 2.074 1.483 0.927 0.663 -5.2 8 4.56 4.				leaves/plant)				,	5	7.0		0.83/			0.583	-3.0	80	4.33	0.003
Handle H		20N	1897	tassel axis flo	ret density	-	PHR03	LC.	ú	12.0	16.0	1 20.4				—! !	:		
1997 lassel axis floret density PHZNO PHR03 5 12.0 16.8 0.707 3.033 0.316 1.356 4.8 8 -3.45 (# of florets/4cm)				(# of florets/4(cm)			•	·	2	0.4	- 25 - 25 - 25 - 25 - 25 - 25 - 25 - 25	1.483	0.583	0.663	-2.4	ãõ	-2.72	0.028
The florests/acm 20N 1998 assel axis floret density PHZNO PHR03 5 5 9.4 20.2 1.140 1.924 0.510 0.860 -10.8 8 -10.80			1997	tassel axis flo	ret density		PHR03	. 20	, CO		18.8	1707	2 022	0.00	- 0	_ - -			
20N 1998 lassel axis floret density PHZNO PHR03 5 9.4 20.2 1.140 1.924 0.510 0.860 -10.8 8 -10.80 NF 1998 lassel axis floret density PHZNO PHR03 5 10.6 15.8 2.074 1.483 0.927 0.663 -5.2 8 4.56 20N 1997 lassel ength (cm) PHZNO PHR03 5 63.4 54.0 4.506 2.550 2.015 1.140 9.4 8 4.06 20N 1997 lassel length (cm) PHZNO PHR03 5 63.4 54.0 4.506 2.550 2.015 1.140 9.4 8 4.06 20N 1998 lassel length (cm) PHZNO PHR03 5 63.8 48.8 1.483 2.588 0.663 1.154 9.4 8 4.06 20N 1998 lassel length (cm) PHZNO PHR03 5 68.0 62.6 3.240 2.302 1.449 1.030 5.40 8 2.91 <				(# of florets/4c	(m ₂		•		,		<u></u>		2.03	0.316	1.356	4.	œ	-3.45	0.00
Head lassel axis floret density PHZNO PHR03 Februaries Head lassel axis floret density PHZNO PHR03 Februaries Head lassel axis floret density PHZNO PHR03 Februaries Head lassel lassel length (cm) PHZNO PHR03 Februaries Februaries Head lassel length (cm) PHZNO PHR03 Februaries Februaries Head lassel length (cm) PHZNO PHR03 Februaries Februaries				tassel axis flor	ret density		PHR03	LC)	·	- !		4 4 40		-		<u>:</u> :			
NF 1998 tassel axis floret density PHZNO PHR03 5 10.6 15.8 2.074 1.483 0.927 0.663 -5.2 8 4.56 4.5		٠,	:	(# of florets/4c	(E)	-		-	5			<u> </u>	1.924	0.510		-10.8	œ	-10.80	0.000
(# of florets/4cm)	=		1998	tassel axis flor	ret density f	PH2N0	PHR03	ur.	·	10.6	0 11	2000			:				
95 1898 tassel eastle mgth (cm) PHZNO PHR03 5 13.0 17.6 1.000 4.506 0.447 2.015 -4.8 8 -2.23 20N 1997 tassel length (cm) PHZNO PHR03 5 6.3.4 54.0 4.506 2.550 2.015 1.140 9.4 8 4.06 20N 1998 tassel length (cm) PHZNO PHR03 5 6.14 53.8 1.483 2.588 0.663 1.156 11.24 NF 1998 tassel length (cm) PHZNO PHR03 5 6.14 53.8 3.782 4.438 1.691 1.985 7.6 8 2.91 95 1998 tassel length (cm) PHZNO PHR03 5 68.0 62.6 3.240 2.302 1.449 1.030 5.4 8 3.04 95 1998 tassel length (cm) PHZNO PHR03 5 68.0 67.0 5.148 1.871 2.302 1.449 1.030 5.4 8 3.04				(# of florets/4c	(mr	•			-	-	2	4.0.4	1.483		0.663	-5.2	œ	4.56	0.005
20N 1997 lassel length (cm) PHZNO PHR03 5 6 63.4 54.0 4.506 2.550 2.015 1.140 9.4 8 -2.23 20 1997 lassel length (cm) PHZNO PHR03 5 6 63.4 54.0 4.506 2.550 2.015 1.140 9.4 8 4.06 20 1998 lassel length (cm) PHZNO PHR03 5 6 61.4 53.8 3.782 4.438 1.691 1.985 7.6 8 2.91 NF 1998 lassel length (cm) PHZNO PHR03 5 6 61.4 53.8 3.240 2.302 1.449 1.030 5.4 8 3.04 95 1998 lassel length (cm) PHZNO PHR03 5 68.0 62.6 3.240 2.302 1.449 1.030 5.4 8 3.04 95 1998 lassel length (cm) PHZNO PHR03 5 68.0 67.0 5.148 1.871 2.302 1.449 1.030 8			1998	tassel axis flor	et density F	2H2N0	PHRO3	Ľ	¥	13.0					!				
20N 1997 tassel length (cm) PHZNO PHR03 5 63.4 54.0 4.506 2.550 2.015 1.140 9.4 8 4.06 21 1997 tassel length (cm) PHZNO PHR03 5 63.8 48.8 1.483 2.588 0.663 1.158 15.0 8 1.124 20N 1998 tassel length (cm) PHZNO PHR03 5 61.4 53.8 3.782 4.438 1.691 1.985 7.6 8 2.91 95 1998 tassel length (cm) PHZNO PHR03 5 68.0 62.6 3.240 2.302 1.449 1.030 5.4 8 3.04 95 1998 tassel length (cm) PHZNO PHR03 5 68.0 67.0 57.148 1.871 2.302 1.449 1.030 5.4 8 3.04			-	(# of florets/4c	(iii		}	5	<u></u>	3.0	0./-	000.	4.506	0.447	2.015	4.	80	-2.23	0.056
21 1997 tassel length (cm)			1997	tassel length (:	-HZNO	PHR03	u:		- 1	0.73	903	0						
20N 1998 tassel length (cm) PHZNO PHR03 5 5 61.4 53.8 3.782 4.438 1.698 1.056 1.998 tassel length (cm) PHZNO PHR03 5 6 68.0 57.0 5.148 1.871 2.302 1.449 1.030 8 3.04			1997	tassel length (:	H2N0	PHRO3	, u	i	- 1	2.6	000	2.550	2.015	140	9.4	œ	4.06	0.004
NF 1998/tassel length (cm) PH2N0 PHR03 5 68.0 62.6 3.240 2.302 1.449 1.030 5.4 8 2.91 8 3.04 8 1998 tassel length (cm) PH2N0 PHR03 5 68.0 57.0 5.148 1.871 2.302 0.837 11.0 8 4.49			1998	tassel length (c	:	H2N0 K	HROA	ט כ	_		48.8		2.588 (158	15.0	60	11.24	0.000
95 1998 tassel length (cm) PH2N0 PHR03 5 5 68.0 57.0 5.148 1.871 2.302 0.837 11.0 8 4.49		•	19981	tassel length (200	: 5 (_;			3.782	4.438	•	.985	9.7	œ	2.91	010
57.0 57.0 57.0 57.0 57.0 57.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 5.0 57.0 57		: -	1998	assel length (r		ONZU.	2021	<u>ດ ເ</u>	:	i	62.6	3.240	2.302	1.449	.030	5.4	¨ào	3.04	0.015
	•		-	, i			בסצוו	<u>.</u>	ດ		57.0 £	5.148	1.871	2.302 C	*	11.0	œ	4 49	0000

Table 1B. Summary data from Johnston and Ankeny, lowa across environments in 1997 and 1998.

Prob (2-tail)	0.000	0.000	0.000			
	· I					
t-Valu Poole	-7.32 -7.80 -4.29	-6.81	7.97			
Pooled	18 28 18	. 28	18 28	ooled	0.000	0.000
Mean	-2.5 -2.8 -3.6	-6.9	12.2 8.0	e Prot		0
or-21	0.211 0.307 0.719	3.856	1.157	t-Value Pooled -9.96	-7.74	7.00
orti	0.667 0.269 0.211 1.187 0.187 0.307 2.273 0.433 0.719	535 (DF Pooled 48	8	84
IdDev S	0.667 1.187 2.273	3.314	3.658 1.724	Mean Diff	-5.6	9.7
Mean, Mean, IMean, StdDev StdErr StdErr Mean DF t-Value Prob	20.0, 0.850, 0.667, 0.269, 0.211 19.5, 0.724, 1.187, 0.187, 0.307 16.5, 1.370, 2.273, 0.433, 0.719	17.9 2.070 3.314 0.535 0.856	57.8 5.003 4.724 1.292 1.220		0.594	1.063
Aean S	20.0 19.5 16.5	17.9	51.4	Std Eiror ₁ 0.173	0.405	0.885
Mean.	17.5 16.7 12.9	11.0	65.8	StdDev iationic 1.030	2.968	55.2 4.425 5.317 0.885
Count	5 75 6	15	15	dDev. atlon-1	2.026	4.425
3	<u> </u>	15	15	/ean;	17.3	55.2
Variety; Variety	PHZNO PHR03 PHZNO PHR03	PH2N0 PHR03	PH2NO PHR03 PH2NO PHR03	Mean 17.0	11.8	64.9
Yarletyn Yarlety	200	ZNO	2NO 2NO P	25 25	25	25
	<u> </u>	Ē	H H	25	72	25
	1998 leaf number (# of leaves/plant) 1997 lassel axis floret density (# of florets/4cm)	(# of	: :	#Hety-2 Count. Count 	HR03	HR03
Traff	leaves fensity	lensity		PHZNO PH	PH2N0 PH	9
	(# of loret c	loret c	(cm) (cm)	PH2	PH2	PH2
year Traff	1998 leaf number (# of leaves) 1997 tassel axis floret density florets/4cm)	1998 tassel axis floret density florets/4cm)	1997 tassel length (cm) 1998 tassel length (cm)	0 #	oret	(cm)
eaf	leaf n tassel florets	florets	tasse	leaf number (# of	tassel axis floret density (# of florets/4cm)	length
year 1997	1998 1997	1998	1997	leaf m	tassel axis fl density (# of florets/4cm)	tassel length (cm) PH2N0 PHR03

9900379

United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705

Objective Description of Variety Com (Zea mays L.)

Name of Applica		Variety Seed Source	Varie	ety Name or Temporary Designation	
Pioneer Hi-l	Bred International, Inc.			PH2N0	
· · · · · · · · · · · · · · · · · · ·	& No. of BED No. City Street 71 C				
	& No., or RFD No., City, State, Zip Co	de and Country	FOR OFFICIAL USE		
7301 NW 62	nd Avenue, P.O. Box 85,				
	wa 50131-0085		PVP0 Number		
Necessary for an	riate number that describes the varietal if necessary. Completeness should be a adequate variety description and must ES (Use in conjunction with Munsell co	striven for to establish an adequate va t be completed.	riety description. Trait		
1=Light Green	06=Pale Yellow	. 11=Pink	16=Pale Purple	21=Buff	
2=Medium Gree		12=Light Red	17=Purple	22≃Tan	
3-Dark Green	08=Yellow Orange	13=Cherry Red	18=Colorless	23=Brown	
M=Very Dark G		14=Red	19=White	24=Bronze	
)5=Green-Yellov	v 10=Pink-Orange	15=Red & White	20=White Capped	25=Variegated (Describe) 26=Other (Describe)	
	BRED CHOICES		· · · · · · · · · · · · · · · · · · ·	20 0 11101 (20001100)	
Use the most sin	nilar (in background and maturity) of the	nese to make comparisons based on g	row-out trial data):		
ellow Dent Farr	nilies:	Yellow Dent (Unrelated):	Sweet C	čom:	
	ibers	Co109, ND246,	C13, fo	owa5125, P39, 2132	
	105, A632, B64, B68	Oh7, T232,	,		
	, B76, H\$4	W117, W153R,	Popcorn	:	
	2, A679, B73, NC268	WISBN		3, 4722, HP301, HP7211	
	7, Va102, Va35, A632			, , , ,	
b43 A61	9, MS71, H99, Va26	White Dent:	Pipecon	1:	
	A. A554, A654, Pa91				

	e: (describe	intermediate types in t	Comments section):			Stand	dard Varie	ty Nam
2	1=Sweet	2=Dent 3=Flint 4=Flo	our 5=Pop 6=Omamental				H99	
2. REGION WHERE DEVELOPED IN THE U.S.A.:						Stand	dard Seed	Source
2 1=Northwest 2=Northcentral 3=Northeast 4=Southeast 5=Southcentral								
6=Southwest 7=Other <u>Central</u>							AMES 1	<u>5931</u>
3. MAT	TURITY (In F	Region of Best Adaptat	pility; show Heat Unit formul	a in 'Comments'	section)			
DAY	YS HEAT	INITS				DAYS	HEAT U	NITS
	<u>2</u> <u>1.387.8</u>	From emergence to	50% of plants in silk			070	1,300.0	
	<u>1.399.2</u>		50% of plants in pollen			070	1,310.6	
<u>Q04</u>	4 0.102.4	From 10% to 90% p	oilen shed			004	0.104.0	
		From 50% silk to op	timum edible quality					
074	4 1,496.4	From 50% silk to har	vest at 25% moisture			<u>075</u>	1.551.0	
4. PLAI	NT:			Standard	Sample	-	Standard	Samo
_				Deviation	Size	1	Deviation	
		t Height (to tassel tip)		27.87	05	161.8		05
<u>068</u>	3.0 cm Ear H	leight (to base of top e	ar node)	20.83	05	045.8	06.57	05
		th of Top Ear Internode	•	01.90	05	013.6	02.29	05
		Number of Tillers		00.02	05	0.0		<u>05</u>
1		Number of Ears per Si		00.45	05	1.0	00.00	05
	4 Anthocya	anin of Brace Roots: 1	=Absent 2=Faint 3=Moder	ate 4=Dark		2		
5. LEAF	F:			Standard	Sample		Standard	Samula
			•	Deviation	Size	1	Deviation	
		of Ear Node Leaf		00.86	05	07.8	00.38	05
		of Ear Node Leaf		05,40	05	65.2	06.01	05
		of leaves above top ear		01.09	05	06	00.38	05
<u>31</u>	Degrees l at anthesi	eaf Angle (measure fr s to stalk above leaf)	om 2nd leaf above ear	07,46	<u>05</u>	31	11.41	<u>05</u>
03	Leaf Color	(Munsell code)	5GY34		į	03	EC.	12.4
1	1 Leaf Shea	th Pubescence (Rate o	on scale from 1=none to 9=1	ike peach fuzz)		1	<u>5GY</u>	<u>)4</u>
4	4 Marginal V	Vaves (Rate on scale f	rom 1=none to 9=many)		į	<u> </u>		
6	Longitudin	al Creases (Rate on so	cale from 1=none to 9=man	y)		<u> </u>		
. TASS	EL:			Standard	Sample	s	tandard	Sample
		_		Deviation	Size		eviation	Size
		Primary Lateral Branc		01.73	05	04	01.56	05
		gle from Central Spike		<u>08.05</u>	05	27	06.06	05
64.9	cm Tassel	Length (from top leaf of	collar to tassel tip)	02.95	05	43.1	02.20	05
			=male sterile to 9=heavy si	hed)		<u>5</u>		
	-	or (Munsell code)	<u>10Y8.58</u>		ł	14	2,5R	46
		or (Munsell code)	<u>5R26</u>		ļ	01	5GY	_
1	Bar Glume	s (Glume Bands): 1=A	bsent 2=Present			2	<u></u>	_
Oplication	on Variety Da		Dec. 4					
			Page 1		f	Standard	Variety D	ata

Application Variety Data PH2N0 Page 2			Standard \	ariety Dara
7a. EAR (Unnusked Data):			1	uncty Data
14 Silk Color (3 days after emergence) (Munsell code)		7.50.40		
02 Fresh Husk Color (25 days after 50% silking) (Munsell of	ode)	<u>7.5R46</u>	07 2	.5GY96
21 Dry Husk Color (65 days after 50% silking) (Munsell co	te)	<u>5GY68</u>	<u>Q1</u>	5GY78
3 Position of Ear at Dry Husk Stage: 1= Upright 2= Horizo	ontal 3= Boodses	<u>2.5Y92</u>	21	2.5Y84
§ Husk Tightness (Rate of Scale from 1=very loose to 9=v	en ticht)		2	
2 Husk Extension (at harvest): 1=Short (ears exposed) 2=	Medium (<2 cm)		Z	
3=Long (8-10 cm beyond ear tip) 4=Very Long (>10 cm)	mediani (<o can)<="" td=""><td></td><td>2</td><td></td></o>		2	
7b. EAR (Husked Ear Data):	Standard			
	·		Standard	Sam
16.0 cm Ear Length	Deviation	Size	Deviation	Size
42.5 mm Ear Diameter at mid-point	<u>01.00</u>	<u>05</u>	14.4 00.55	05
122.6 gm Ear Weight	<u>01.52</u>	<u>05</u>	35.0 00.71	05
14 Number of Kernel Rows	24.23	<u>Q5</u>	78.2 10.35	05
2 Kernel Rows: 1=Indistinct 2=Distinct	<u>00.45</u>	<u>05</u>	11.6 00.55	05
			2	
2 Row Alignment 1=Straight 2=Slightly Curved 3=Spiral17.0 cm Shank Length			1	
	02.74	<u>05</u>	06.6 03.44	<u>05</u>
2 Ear Taper: 1=Slight 2= Average 3=Extreme			2	
3. KERNEL (Dried)	Standard	Sample	Standard	Sampl
44.0	Deviation	Size	Deviation	Size
11.2 mm Kernel Length	<u>00.45</u>	05	09.0 00.00	05
08.2 mm Kernel Width	00.45	05	08.4 00.55	<u>95</u>
04.6 mm Kernel Thickness	00.55	05	04.8 00.45	<u> 05</u>
23.8 % Round Kernels (Shape Grade)	<u>11.50</u>	05	42.0 26.90	_
1 Aleurone Color Pattern: 1-Homozygous 2=Segregating		_	1	<u>05</u>
07 Aluerone Color (Munsell code)	1.2	5Y816	_	R814
07 Hard Endosperm Color (Munseil code)	1.2	5Y814		<u>(812</u>
03 Endosperm Type:			3	012
1=Sweet (Su1) 2=Extra Sweet (sh2) 3=Normal Starch			<u> </u>	
4=High Amylose Starch 5=Waxy Starch 6=High Protein				
7=High Lysine 8=Super Sweet (se) 9=High Oil 10=Other		l		
27.0 gm Weight per 100 Kernels (unsized sample)	04.64	05	24.20.00.45	
COB:	<u> </u>	A-5	<u>24.20</u> <u>03.42</u>	<u>05</u>
	Standard	Sample	Standard	Sample
20.0	Deviation	Size	Deviation	Size
23.0 mm Cob Diameter at mid-point	00.71	05	21.6 00.55	05
14 Cob Color (Munsell code) 10R56			19 2.5	_

Application Variety Data

Page 2

Standard Variety Data

Application Variety Data

Other (Specify) -

Page 3

Standard Variety Data

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit C, "Objective Description of Variety," are collected primarily at Johnston and Ankeny, Iowa. The data in Exhibit B are from comparisons of inbreds grown in the same tests in the adapted growing area of PH2N0 and in Johnston and Ankeny, Iowa. The data in Tables 1A and 1B are from paired comparisons collected in Johnston and Ankeny, Iowa. These traits collectively show distinct differences between the two varieties.

The data collected in exhibit C were collected in 1997 and 1998 for page 1 and 2. There are environmental factors that differ from year to year and environment to environment. The environments had different planting dates within each year. Environmental temperature and precipitation differences during the vegetative and grain fill periods can impact plant and grain traits and be a source of variability. These data are mostly based on 5 plants measured at each location. There often is more variability associated with year to year factors than from location to location or within locations. Please see Table 3 for average temperature and rainfall information in 1997 and 1998.



Table 3. Temperature and Rainfall

TEMPERATURE

MAY	JUN	JULY	AUG	AVERAGE
59.8	70.7	71.9	69.0	67.9
56.2	69.4	74.3		69.2
56.2	69.3	71.3		66.8
53.5	70.6	74.1		67.0
64.7	66.6	74.8		69.9
60.7	69.7	78.7	70.5	69.9
	59.8 56.2 56.2 53.5 64.7	59.8 70.7 56.2 69.4 56.2 69.3 53.5 70.6 64.7 66.6	59.8 70.7 71.9 56.2 69.4 74.3 56.2 69.3 71.3 53.5 70.6 74.1 64.7 66.6 74.8	59.8 70.7 71.9 69.0 56.2 69.4 74.3 76.9 56.2 69.3 71.3 70.5 53.5 70.6 74.1 69.6 64.7 66.6 74.8 73.5

RAINFALL

YEAR	MAY	JUN	JULY	AUG	Total
1994	3.67	5.75	1.71	4.18	15.31
1995	5.04	4.19	2.94	2.87	15.04
1996	8.47	4.35	2.51	2.14	17.47
1997	4.32	3.27	4.10	1.36	13.05
1998	6.46	11.07	5.70	4.96	28.19
1999	6.46	4.54	4.45	6.55	21.85

	The day of the second						
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in according 1974 (5 U. S. C. 552a) and the Paperwork						
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determ certificate is to be issued (7 U.S.C. 2421). until certificate is issued (7 U.S.C. 2425).	ine if a plant variety protection Information is held confidential					
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME					
PIONEER HI-BRED INTERNATIONAL, INC.	OR EXPERIMENTAL NUMBER	PH2N0					
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)					
7301 NW 62 nd AVENUE	515-270-4051	515-253-2125					
P.O.BOX 85	7. PVPO NUMBER 9900379						
JOHNSTON, IA 50131-0085							
2. Does the applicant own all rights to the variety? Mark an 'X' in appropriate blo		□NO					
8. Is the applicant (individual or company) a U.S. national or U.S. based company	? ⊠ YES □ NO						
If no, give name of country	e de la Companya de l						
10. Is the applicant the original owner.	ease answer <u>one</u> of the following:						
 if original rights to variety were owned by individual(s), is(are) the original 	nal owner(s) a U.S. national(s)?						
☐ YES ☐ NO if no, give name of country							
b. If original rights to variety were owned by a company(ies), is(are) the origin	al owner(s) a U.S. based company?						
11. Additional explanation on ownership (if needed, use reverse for extra space):							
PH2N0 is owned by Pioneer Hi-Bred International, Inc.							
PLEASE NOTE:							
Plant variety protection can be afforded only to owners (not licensees) who meet one of t	he following criteria:						
 If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country Which affords similar protection to nationals of the U.S. for the same genus and species. 							
2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by national of a country which affords similar protection to nationals of the U.S. for the same genus and species.							
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.							
The original breeder/owner may be the individual or company who directed final breedin	ng. See section 41(a)(2) of the Plant Variety P	rotection Act for definition.					
According to the Properment Reduction Act of 1995, no persons are required to respond to a collection of in Information collection is 0581-0055. The time required to compete this information collection is estima existing data sources, gentleming and maintenancy the data needed, and completing and reviewing the colle-	ited to average 10 minutes per response, including the l	The valid OMB control number for this time for reviewing instructions, searching					
The U.S. Department of Agriculture (USCA) prohibits discrimination in its programs on the basis of race, or prohibited bases apply to all programs). Persons with disabilities who require alternative means for commit Center at 202-720-2800 (voice and TOO).	nunication of program information (drawe, large print, aud	liciabe, etc.) should consect discoves (12,100).					
To the a complaint, write Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. apparating amployer,	20250, or call 1-800-245-6340 (voice) or (202) 720-	-1127 (TDD) USDA is an equal employment					

\$TD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect in Forms by USDA-AMS-IMB